ELSEVIER

Volume 182, Issues 1–3, 2 February 2007

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Contents

A novel laminate combined with elasticity and damping 1
Z. Li, Y.L. Jia, N. Tang, M. Fang, N. Liu

Control and use of wrinkles in tube hydroforming 6
S. Yuan, X. Wang, G. Liu, Z.R. Wang

Overinjection of thermoplastic composites. I. Processing and testing of components 12
A.M. Harte, J.F. Mc Namara

Overinjection of thermoplastic composites. II. Numerical simulation 21
A.M. Harte, J.F. Mc Namara

Investigation of morphology and composition of plasma electrolytic oxidation coatings in systems of Na_2SiO_3–NaOH and $(NaPO_3)_6$–NaOH 28
W.-C. Gu, G.-H. Lv, H. Chen, G.-L. Chen, W.-R. Feng, G.-L. Zhang, S.-Z. Yang

Effect of starting Si contents on the properties and structure of biomorphic SiC ceramics 34
G. Hou, Z. Jin, J. Qian

Computer modelling and tooling design for near net shaped components using hot isostatic pressing 39
W.X. Yuan, J. Mei, V. Samarov, D. Seliverstov, X. Wu

A new processing technique for copper–graphite multifilamentary nanocomposite wire: Microstructures and electrical properties 50
A. Guillet, E.Y. Nzoma, P. Pareige

Optimization of the electrolytic plasma oxidation processes for corrosion protection of magnesium alloy AM50 using the Taguchi method 58
Y. Ma, H. Hu, D. Northwood, X. Nie

A study on the mechanical properties for developing a computer simulation model for heat treatment process 65
K.O. Lee, J.M. Kim, M.H. Chin, S.S. Kang

A numerical sensitivity study to determine the main influence parameters on the back-end defect 73
T. Hatzenbichler, B. Buchmayr, A. Umgeher

Influence factors of ball milling process on BE powder for reaction sintering of TiB/Ti–4.0Fe–7.3Mo composite 79
H. Feng, D. Jia, Y. Zhou

Influence of low-strain deformation characteristics of high strength sheet steel on curl and springback in bend-under-tension tests 84
T.B. Hilditch, J.G. Speer, D.K. Matlock

The effect of partial decanting on the chemical composition of semi-solid hypo-eutectic Al–Si alloys during solidification 95
O. Lashkari, S. Nafisi, J. Langlais, R. Ghomashchi

Heat transfer analysis of hot-rolled coils in multi-stack storing 101
A. Saboonchi, S. Hassanpour

Optimizing multiple quality characteristics via Taguchi method-based Grey analysis 107
L.K. Pan, C.C. Wang, S.L. Wei, H.F. Sher

Processing of polycaprolactone porous structure for scaffold development 117
B.Y. Tay, S.X. Zhang, M.H. Myint, F.L. Ng, M. Chandrasekaran, L.K.A. Tan

Comparison of friction and wear performances of brake material dry sliding against two aluminum matrix composites reinforced with different SiC particles 122
S. Zhang, F. Wang

Research of electroplastic rolling of AZ31 Mg alloy strip 128
Z. Xu, G. Tang, S. Tian, F. Ding, H. Tian

Elsevier B.V.

Effect of hexagonal BN on the microstructure and mechanical properties of Si_3N_4 ceramics 134
Y. Sun, Q. Meng, D. Jia, C. Guan

Estimation of material removal with the help of pad deformation in planarization process 139
T.-L. Horng

An investigation of fretting wear behaviors of bonded solid lubricant coatings 146
J. Xu, Z.R. Zhou, C.H. Zhang, M.H. Zhu, J.B. Luo

Heat transfer and solidification behaviour of modified A357 alloy 152
G. Kumar, S. Hegde, K.N. Prabhu

Novel method to investigate the critical depth of cut of ground silicon wafer 157
H.T. Young, H.-T. Liao, H.-Y. Huang

Extrude-curving forming process of magnesium alloy thick plate coated with steel plate 163
L. Liu, C. Dong, G. Song

Prediction of shear angle for continuous orthogonal cutting using thermo-mechanical constants of work material and cutting conditions ... 167
A. Toropov, S.-L. Ko

Deformation behaviors of porous 4032 Al alloy preform prepared by spray deposition during hot rolling 174
M.-Y. Zhan, Z.-H. Chen, H.-G. Yan, W.-J. Xia

Finite element design of MgO/Ni system functionally graded materials 181
F. Chen, W. Jie

Effect of low-frequency magnetic field on microstructures and macrosegregation of horizontal direct chill casting 7075 aluminum alloy 185
Z. Zhao, J. Cui, J. Dong, B. Zhang

Side-wall thickness in draw die forming 191
B. Logue, M. Dingle, J.L. Duncan

Characterization of newly developed structural DMR-1700 steel and comparison with different steels for chemical applications 195
I. Gurrappa, C.V.K. Reddy

Evolution of the bond interface during ultrasonic Al–Si wire wedge bonding process 202
H. Ji, M. Li, C. Wang, J. Guan, H.S. Bang

Properties and deformation behaviour of severe plastic deformed aluminium alloys 207
P. Leo, E. Cerri, P.P. De Marco, H.J. Roven

Effect of rolling on tensile flow and fracture of Al–4.5Cu–3.4Fe cast composite 215
S. Ahmed, Q. Ahsan, A.S.W. Kurny

A study on quantitative formability assessment of rheological materials based on the microstructural characterization with a moderate control of the process 220
H.-K. Jung, H.-G. Kim, C.-G. Kang

The implication of rheology in semi-solid metal processes: An overview 229
O. Lashkari, R. Ghomashchi

Prediction of cutting force in end-milling operation of modified AISI P20 tool steel 241
K.A. Abou-El-Hossein, K. Kadirgama, M. Hamdi, K.Y. Benyounis

Modelling of the post-localization behaviour in tube hydroforming of low carbon steels 248
D. Daly, P. Duroux, M. Rachik, J.M. Roelandt, J. Wilsius

The thermal stability and mechanical behaviors of Zr–Cu–Ni–Ti–Be bulk metallic glasses 257
C.-H. Tsau, C.-C. Wu, S.-S. Wu

The optimization of the variable binder force in U-shaped forming with uncertain friction coefficient 262
C. Jiang, X. Han, G.R. Liu, G.Y. Li

A model for PEG removal from alumina injection moulded parts by solvent debinding 268
V.A. Krauss, A.A.M. Oliveira, A.N. Klein, H.A. Al-Qureshi, M.C. Fredel

Prediction of microstructure evolution of Al–1% Mg alloy during hot forming and sequential heat treatment 274
W.G. Jiang, G.C. Wang, S.Q. Lu, J.W. Li

Effects of extrusion ratio on the microstructure and mechanical properties of AZ31 Mg alloy 281
Y. Chen, Q. Wang, J. Peng, C. Zhai, W. Ding

A model for the simulation of powder compaction processes 286
R. Rossi, M.K. Alves, H.A. Al-Qureshi

Microstructural characterization and microscopy analysis of laser cladding Stellite12 and tungsten carbide 297
K.A. Chiang, Y.C. Chen

Analysis of torsional deformation by rigid-plastic finite element method using recurrent boundary conditions 303
Y.-B. Park, D.-Y. Yang

Evaluation of a heat flux sensor for spray cooling for the die casting processes 312
A.S. Sabau, Z. Wu

A basic approach for strain rate dependent energy conversion including heat transfer effects: An experimental and numerical study ... 319
L.W. Meyer, N. Herzig, T. Halle, F. Hahn, L. Krueger, K.P. Staudhammer

Study of the wear behaviour of Al–4.5% Cu–3.4% Fe in situ composite: Effect of thermal and mechanical processing 327
S. Ahmed, A.S.M.A. Haseeb, A.S.W. Kurny

Simulation of EPS foam decomposition in the lost foam casting process 333
X.J. Liu, S.H. Bhavnani, R.A. Overfelt

Role of processing parameters on microstructural evolution of spray formed Al–2Mg alloy and Al–2Mg–TiO_2 composite 343
S.K. Chaudhury, S.C. Panigrahi

Finite element simulations of the clinch joining of metallic sheets 352
A.A. de Paula, M.T.P. Aguilar, A.E.M. Pertence, P.R. Cetlin

Mineralogical phases formed by flux glasses in continuous casting mould 358
A. Cruz, F. Chávez, A. Romero, E. Palacios, V. Arredondo

Influence of cold extrusion on the microstructure and mechanical properties of an aluminium alloy previously subjected to equal channel angular pressing 363
D. Nagarajan, U. Chakkingal, P. Venugopal

Characterization on electron beam welds and parameters for AZ31B-F extrusive plates 369
C.-T. Chi, C.-G. Chao

The key technology and realization of virtual ring rolling 374
Z.W. Wang, S.Q. Zeng, X.H. Yang, C. Cheng

Synthesis of PZT nanocrystalline powder by a modified sol–gel process using water as primary solvent source 382
G. Mu, S. Yang, J. Li, M. Gu

An engineering-oriented embedded-atom-method potential fitting procedure for pure fcc and bcc metals 387
K. Narayan, K. Behdinan, Z. Fawaz

Evaluation of Atkins' model of ductile machining including the material separation component 398
S. Subbiah, S.N. Melkote

Effect of casting conditions on aluminium metal quality 405
D. Dispinar, J. Campbell

Numerical simulation of the pressure ram forming process 411
Y. Shi, P. Hamstra, R. Mallory, S.R. MacEwen, P.D. Wu

The use of Taguchi method in the design of plastic injection mould for reducing warpage 418
S.H. Tang, Y.J. Tan, S.M. Sapuan, S. Sulaiman, N. Ismail, R. Samin

Laser surface treatments of iron-based substrates for automotive application 427
J.H. Abboud, K.Y. Benyounis, A.G. Olabi, M.S.J. Hashmi

Study of alternative lubricants to the cold extrusion of steel shafts 432
C. Caminaga, F.O. Neves, F.C. Gentile, S.T. Button

Effect of microstructural inhomogeneities on texture evolution in 90-10 Brass sheets 440
M. Salari, A. Akbarzadeh

Effect of Al addition on phase purity of $Ti_3Si(Al)C_2$ synthesized by mechanical alloying 445
S. Jin, B. Liang, J.-F. Li, L. Ren

Study of fluxing temperature in molten aluminum refining process 450
O. Majidi, S.G. Shabestari, M.R. Aboutalebi

A short note on an intelligent system for selection of materials for progressive die components 456
S. Kumar, R. Singh

Influence of chromium on microstructure and sintering properties of FeNiMoCu system prealloyed powders 462
H. Chen, Y.Y. Li, Y.B. Liu, X.J. Cao

Water-based binder system for SOFC porous steel substrates 469
H. Kurokawa, G.Y. Lau, C.P. Jacobson, L.C. De Jonghe, S.J. Visco

Dependence of mechanical properties of polyamide components on build parameters in the SLS process 477
B. Caulfield, P.E. McHugh, S. Lohfeld

De-stabilization mechanism and *in situ* solidification of alumina slurry dispersed in silica sol 489
D. Kong, H. Yang, Y. Yang, S. Wei, J. Wang

Toward physical description of form and finish performance in dry belt finishing process by a tribo-energetic approach 498
M. El Mansori, E. Sura, P. Ghidossi, S. Deblaise, T. Dal Negro, H. Khanfir

Optimizing parison thickness for extrusion blow molding by hybrid method 512
G.-Q. Huang, H.-X. Huang

Ti transition zone on the interface between TiC and aluminum melt and its influence on melt viscosity 519
L. Yu, X. Liu

Modeling and analysis of the rapidly resolidified layer of SG cast iron in the EDM process through the response surface methodology 525
K.-T. Chiang, F.-P. Chang, D.-C. Tsai

Die design for the radial forging process using 3D FEM 534
A. Ghaei, M.R. Movahhedy

Influence of TiO_2 particles on recrystallization kinetics of Al–2Mg–TiO_2 composites 540
S.K. Chaudhury, S.C. Panigrahi

Effect of V addition on activation performances of $TiMn_{1.25}Cr_{0.25}$ hydrogen storage alloy 549
X.B. Yu, Z. Wu, Q.R. Chen, T. Dou, J.Z. Chen, B.J. Xia, N.X. Xu

An upper bound solution of ECAE process with outer curved corner 555
A.R. Eivani, A. Karimi Taheri

Effects of dispersion technique and component ratio on densification and microstructure of multi-component Cu-based metal powder in direct laser sintering 564
D. Gu, Y. Shen

On the influence of cutting speed limitation on the accuracy of wire-EDM corner-cutting 574
J.A. Sanchez, J.L. Rodil, A. Herrero, L.N.L. de Lacalle, A. Lamikiz

An experimental investigation on dimensional stability of injected wax patterns of gas turbine blades 580
S.A.M. Rezavand, A.H. Behravesh

Fabrication of high-power diesel engine crankshafts by electro-slag casting process 588
Z. Wang, J. Xu, G. Bao, J. Zhang, X. Fang, T. Liu

Properties of a gray cast iron with oriented graphite flakes 593
W. Wang, T. Jing, Y. Gao, G. Qiao, X. Zhao

An improved analytical approach for determination of forming limit diagrams considering the effects of yield functions 598
M. Ganjiani, A. Assempour

Failure analysis of stellite dies for brass extrusion: The effect of aging 608
L. Bourithis, V. Gontzes, G.D. Papadimitriou

Effect of evaporative pattern casting process parameters on the surface roughness of Al–7% Si alloy castings 615
S. Kumar, P. Kumar, H.S. Shan

Weldability of a 2205 duplex stainless steel using plasma arc welding 624
A. Ureña, E. Otero, M.V. Utrilla, C.J. Múnez

Study on the development method of panel parts with free form surface 632
Y. Guo, F. Li, H. Jiang, X. Wang

Finite element simulation and model optimization of blankholder gap and shell element type in the stamping of a washing-trough 637
L. Chen, J.C. Yang, L.W. Zhang, S.Y. Yuan

Effect of temperature of differential speed rolling on room temperature mechanical properties and texture in an AZ31 magnesium alloy 644
H. Watanabe, T. Mukai, K. Ishikawa

Author index 648

Subject index 650

ELSEVIER

Journal of Materials Processing Technology 182 (2007) 648–649

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 182

Abboud, J.H., 427
Abou-El-Hossein, K.A., 241
Aboutalebi, M.R., 450
Aguilar, M.T.P., 352
Ahmed, S., 215, 327
Ahsan, Q., 215
Akbarzadeh, A., 440
Al-Qureshi, H.A., 268, 286
Alves, M.K., 286
Arredondo, V., 358
Assempour, A., 598

Bang, H.S., 202
Bao, G., 588
Behdinan, K., 387
Behravesh, A.H., 580
Benyounis, K.Y., 241, 427
Bhavnani, S.H., 333
Bourithis, L., 608
Buchmayr, B., 73
Button, S.T., 432

Caminaga, C., 432
Campbell, J., 405
Cao, X.J., 462
Caulfield, B., 477
Cerri, E., 207
Cetlin, P.R., 352
Chakkingal, U., 363
Chandrasekaran, M., 117
Chang, F.-P., 525
Chao, C.-G., 369
Chaudhury, S.K., 343, 540
Chen, F., 181
Chen, G.-L., 28
Chen, H., 28, 462
Chen, J.Z., 549
Chen, L., 637
Chen, Q.R., 549
Chen, Y., 281
Chen, Y.C., 297
Chen, Z.-H., 174
Cheng, C., 374
Chi, C.-T., 369
Chiang, K.-T., 525
Chiang, K.A., 297
Chin, M.H., 65
Chávez, F., 358
Cruz, A., 358
Cui, J., 185

Dal Negro, T., 498
Daly, D., 248
De Jonghe, L.C., 469
de Lacalle, L.N.L., 574
De Marco, P.P., 207
de Paula, A.A., 352
Deblaise, S., 498
Ding, F., 128
Ding, W., 281
Dingle, M., 191
Dispinar, D., 405
Dong, C., 163
Dong, J., 185
Dou, T., 549
Duncan, J.L., 191
Duroux, P., 248

Eivani, A.R., 555
El Mansori, M., 498

Fang, M., 1
Fang, X., 588
Fawaz, Z., 387
Feng, H., 79
Feng, W.-R., 28
Fredel, M.C., 268

Ganjiani, M., 598
Gao, Y., 593
Gentile, F.C., 432
Ghaei, A., 534
Ghidossi, P., 498
Ghomashchi, R., 95, 229
Gontzes, V., 608
Gu, D., 564
Gu, M., 382
Gu, W.-C., 28
Gu-Ling, Z., 28
Guan, C., 134
Guan, J., 202
Guillet, A., 50
Guo, Y., 632
Gurrappa, I., 195

Hahn, F., 319
Halle, T., 319
Hamdi, M., 241
Hamstra, P., 411
Han, X., 262
Harte, A.M., 12, 21
Haseeb, A.S.M.A., 327
Hashmi, M.S.J., 427
Hassanpour, S., 101
Hatzenbichler, T., 73
Hegde, S., 152
Herrero, A., 574
Herzig, N., 319
Hilditch, T.B., 84
Horng, T.-L., 139
Hou, G., 34
Hu, H., 58
Huang, G.-Q., 512
Huang, H.-X., 512
Huang, H.-Y., 157

Ishikawa, K., 644
Ismail, N., 418

Jacobson, C.P., 469
Ji, H., 202
Jia, D., 79, 134
Jia, Y.L., 1
Jiang, C., 262
Jiang, H., 632
Jiang, W.G., 274
Jie, W., 181
Jin, S., 445
Jin, Z., 34
Jing, T., 593
Jung, H.-K., 220

Kadirgama, K., 241
Kang, C.-G., 220
Kang, S.S., 65
Karimi Taheri, A., 555
Khanfir, H., 498
Kim, H.-G., 220
Kim, J.M., 65
Klein, A.N., 268
Ko, S.-L., 167
Kong, D., 489
Krauss, V.A., 268
Krueger, L., 319
Kumar, G., 152
Kumar, P., 615
Kumar, S., 456, 615
Kurny, A.S.W., 215, 327
Kurokawa, H., 469

Lamikiz, A., 574
Langlais, J., 95
Lashkari, O., 95, 229
Lau, G.Y., 469
Lee, K.O., 65
Leo, P., 207

Elsevier B.V.
doi:10.1016/S0924-0136(06)00883-1

Li, F., 632
Li, G.Y., 262
Li, J., 382
Li, J.-F., 445
Li, J.W., 274
Li, M., 202
Li, Y.Y., 462
Li, Z., 1
Liang, B., 445
Liao, H.-T., 157
Liu, G., 6
Liu, G.R., 262
Liu, L., 163
Liu, N., 1
Liu, T., 588
Liu, X., 519
Liu, X.J., 333
Liu, Y.B., 462
Logue, B., 191
Lohfeld, S., 477
Lu, S.Q., 274
Luo, J.B., 146
Lv, G.-H., 28

Ma, Y., 58
MacEwen, S.R., 411
Majidi, O., 450
Mallory, R., 411
Matlock, D.K., 84
Mc Namara, J.F., 12, 21
McHugh, P.E., 477
Mei, J., 39
Melkote, S.N., 398
Meng, Q., 134
Meyer, L.W., 319
Múnez, C.J., 624
Movahhedy, M.R., 534
Mu, G., 382
Mukai, T., 644
Myint, M.H., 117

Nafisi, S., 95
Nagarajan, D., 363
Narayan, K., 387
Neves, F.O., 432
Ng, F.L., 117
Nie, X., 58
Northwood, D., 58
Nzoma, E.Y., 50

Olabi, A.G., 427
Oliveira, A.A.M., 268
Otero, E., 624
Overfelt, R.A., 333

Palacios, E., 358
Pan, L.K., 107
Panigrahi, S.C., 343, 540
Papadimitriou, G.D., 608
Pareige, P., 50
Park, Y.-B., 303
Peng, J., 281
Pertence, A.E.M., 352
Prabhu, K.N., 152

Qian, J., 34
Qiao, G., 593

Rachik, M., 248
Reddy, C.V.K., 195
Ren, L., 445
Rezavand, S.A.M., 580
Rodil, J.L., 574
Roelandt, J.M., 248
Romero, A., 358
Rossi, R., 286
Roven, H.J., 207

Sabau, A.S., 312
Saboonchi, A., 101
Salari, M., 440
Samarov, V., 39
Samin, R., 418
Sanchez, J.A., 574
Sapuan, S.M., 418
Seliverstov, D., 39
Shabestari, S.G., 450
Shan, H.S., 615
Shen, Y., 564
Sher, H.F., 107
Shi, Y., 411
Si-Ze, Y., 28
Singh, R., 456
Song, G., 163
Speer, J.G., 84
Staudhammer, K.P., 319
Subbiah, S., 398
Sulaiman, S., 418
Sun, Y., 134
Sura, E., 498

Tan, L.K.A., 117
Tan, Y.J., 418
Tang, G., 128
Tang, N., 1
Tang, S.H., 418
Tay, B.Y., 117
Tian, H., 128
Tian, S., 128
Toropov, A., 167
Tsai, D.-C., 525
Tsau, C.-H., 257

Umgeher, A., 73
Ureña, A., 624
Utrilla, M.V., 624

Venugopal, P., 363
Visco, S.J., 469

Wang, C., 202
Wang, C.C., 107
Wang, F., 122
Wang, G.C., 274
Wang, J., 489
Wang, Q., 281
Wang, W., 593
Wang, X., 6, 632
Wang, Z., 588
Wang, Z.R., 6
Wang, Z.W., 374
Watanabe, H., 644
Wei, S., 489
Wei, S.L., 107
Wilsius, J., 248
Wu, C.-C., 257
Wu, P.D., 411
Wu, S.-S., 257
Wu, X., 39
Wu, Z., 312, 549

Xia, B.J., 549
Xia, W.-J., 174
Xu, J., 146, 588
Xu, N.X., 549
Xu, Z., 128

Yan, H.-G., 174
Yang, D.-Y., 303
Yang, H., 489
Yang, J.C., 637
Yang, S., 382
Yang, S.-Z., 28
Yang, X.H., 374
Yang, Y., 489
Young, H.T., 157
Yu, L., 519
Yu, X.B., 549
Yuan, S., 6
Yuan, S.Y., 637
Yuan, W.X., 39

Zeng, S.Q., 374
Zhai, C., 281
Zhan, M.-Y., 174
Zhang, B., 185
Zhang, C.H., 146
Zhang, G.-L., 28
Zhang, J., 588
Zhang, L.W., 637
Zhang, S., 122
Zhang, S.X., 117
Zhao, X., 593
Zhao, Z., 185
Zhou, Y., 79
Zhou, Z.R., 146
Zhu, M.H., 146

ELSEVIER

Journal of Materials Processing Technology 182 (2007) 650–658

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 182

Accuracy
On the influence of cutting speed limitation on the accuracy of wire-EDM corner-cutting, 574
Activation characteristics
Effect of V addition on activation performances of $TiMn_{1.25}Cr_{0.25}$ hydrogen storage alloy, 549
Activation energy
The thermal stability and mechanical behaviors of Zr–Cu–Ni–Ti–Be bulk metallic glasses, 257
Advanced JK criteria
A study on quantitative formability assessment of rheological materials based on the microstructural characterization with a moderate control of the process, 220
Aging
Failure analysis of stellite dies for brass extrusion: The effect of aging, 608
AISI P20
Prediction of cutting force in end-milling operation of modified AISI P20 tool steel, 241
Al
Effect of Al addition on phase purity of $Ti_3Si(Al)C_2$ synthesized by mechanical alloying, 445
Al–1% Mg
Prediction of microstructure evolution of Al–1% Mg alloy during hot forming and sequential heat treatment, 274
Al_2O_3
A model for PEG removal from alumina injection moulded parts by solvent debinding, 268
Al–Cu–Fe in situ composite
Effect of rolling on tensile flow and fracture of Al–4.5Cu–3.4Fe cast composite, 215
Study of the wear behaviour of Al–4.5% Cu–3.4% Fe in situ composite: Effect of thermal and mechanical processing, 327
Al–Si alloys
The effect of partial decanting on the chemical composition of semi-solid hypo-eutectic Al–Si alloys during solidification, 95
Heat transfer and solidification behaviour of modified A357 alloy, 152
Alumina
De-stabilization mechanism and *in situ* solidification of alumina slurry dispersed in silica sol, 489
Aluminium
A numerical sensitivity study to determine the main influence parameters on the back-end defect, 73
Effect of casting conditions on aluminium metal quality, 405
Aluminium alloys
Influence of cold extrusion on the microstructure and mechanical properties of an aluminium alloy previously subjected to equal channel angular pressing, 363
Aluminum
Numerical simulation of the pressure ram forming process, 411
Influence of TiO_2 particles on recrystallization kinetics of Al–2Mg–TiO_2 composites, 540
Aluminum alloys
Investigation of morphology and composition of plasma electrolytic oxidation coatings in systems of Na_2SiO_3–NaOH and $(NaPO_3)_6$–NaOH, 28
Effect of low-frequency magnetic field on microstructures and macrosegregation of horizontal direct chill casting 7075 aluminum alloy, 185
Aluminum matrix composites
Comparison of friction and wear performances of brake material dry sliding against two aluminum matrix composites reinforced with different SiC particles, 122
Role of processing parameters on microstructural evolution of spray formed Al–2Mg alloy and Al–2Mg–TiO_2 composite, 343
Aluminum melts
Study of fluxing temperature in molten aluminum refining process, 450
Ti transition zone on the interface between TiC and aluminum melt and its influence on melt viscosity, 519
Analysis of variance
Optimization of the electrolytic plasma oxidation processes for corrosion protection of magnesium alloy AM50 using the Taguchi method, 58
Anneal
Influence of TiO_2 particles on recrystallization kinetics of Al–2Mg–TiO_2 composites, 540
Asymmetric rolling
Effect of temperature of differential speed rolling on room temperature mechanical properties and texture in an AZ31 magnesium alloy, 644
Athermal effect
Research of electroplastic rolling of AZ31 Mg alloy strip, 128
Autobody panels
Side-wall thickness in draw die forming, 191
AZ31
Research of electroplastic rolling of AZ31 Mg alloy strip, 128
AZ31 Mg alloy
Effects of extrusion ratio on the microstructure and mechanical properties of AZ31 Mg alloy, 281

Back-end defect
A numerical sensitivity study to determine the main influence parameters on the back-end defect, 73
Ball milling
Influence factors of ball milling process on BE powder for reaction sintering of TiB/Ti–4.0Fe–7.3Mo composite, 79
Belt finishing
Toward physical description of form and finish performance in dry belt finishing process by a tribo-energetic approach, 498
Bevel gear blank
The key technology and realization of virtual ring rolling, 374
Bifilm index
Effect of casting conditions on aluminium metal quality, 405

Elsevier B.V.
doi:10.1016/S0924-0136(06)00884-3

Binder system
Water-based binder system for SOFC porous steel substrates, 469
Biomorphic ceramics
Effect of starting Si contents on the properties and structure of biomorphic SiC ceramics, 34
Blank holding force
Finite element simulation and model optimization of blankholder gap and shell element type in the stamping of a washing-trough, 637
Blank shape estimation
Study on the development method of panel parts with free form surface, 632
Blankholder gap
Finite element simulation and model optimization of blankholder gap and shell element type in the stamping of a washing-trough, 637
Blended elemental
Influence factors of ball milling process on BE powder for reaction sintering of TiB/Ti–4.0Fe–7.3Mo composite, 79
Blow molding
Optimizing parison thickness for extrusion blow molding by hybrid method, 512
Bonded coating
An investigation of fretting wear behaviors of bonded solid lubricant coatings, 146
Brake material
Comparison of friction and wear performances of brake material dry sliding against two aluminum matrix composites reinforced with different SiC particles, 122
Brass
Failure analysis of stellite dies for brass extrusion: The effect of aging, 608
90-10 Brass sheet
Effect of microstructural inhomogeneities on texture evolution in 90-10 Brass sheets, 440

CAD
Computer modelling and tooling design for near net shaped components using hot isostatic pressing, 39
Cast iron
Laser surface treatments of iron-based substrates for automotive application, 427
Ceramic
Investigation of morphology and composition of plasma electrolytic oxidation coatings in systems of Na_2SiO_3–NaOH and $(NaPO_3)_6$–NaOH, 28
Cleaner rheological materials
A study on quantitative formability assessment of rheological materials based on the microstructural characterization with a moderate control of the process, 220
Clinching
Finite element simulations of the clinch joining of metallic sheets, 352
Cobalt alloys
Failure analysis of stellite dies for brass extrusion: The effect of aging, 608
Cold extrusion
Study of alternative lubricants to the cold extrusion of steel shafts, 432
Composite laminate
A novel laminate combined with elasticity and damping, 1
Contact
A model for the simulation of powder compaction processes, 286
Continuous casting
Mineralogical phases formed by flux glasses in continuous casting mould, 358
Copper
A new processing technique for copper–graphite multifilamentary nanocomposite wire: Microstructures and electrical properties, 50
Corner-cutting
On the influence of cutting speed limitation on the accuracy of wire-EDM corner-cutting, 574
Corrosion
Characterization of newly developed structural DMR-1700 steel and comparison with different steels for chemical applications, 195
Corrosion resistance
Optimization of the electrolytic plasma oxidation processes for corrosion protection of magnesium alloy AM50 using the Taguchi method, 58
Cover panels
Study on the development method of panel parts with free form surface, 632
Crankshaft
Fabrication of high-power diesel engine crankshafts by electro-slag casting process, 588
Cr–Fe powders
Influence of chromium on microstructure and sintering properties of FeNiMoCu system prealloyed powders, 462
Critical depth
Novel method to investigate the critical depth of cut of ground silicon wafer, 157
Critical extrusion ratio
Effects of extrusion ratio on the microstructure and mechanical properties of AZ31 Mg alloy, 281
Crystallization
The thermal stability and mechanical behaviors of Zr–Cu–Ni–Ti–Be bulk metallic glasses, 257
Cu-based metal powder
Effects of dispersion technique and component ratio on densification and microstructure of multi-component Cu-based metal powder in direct laser sintering, 564
Curl
Influence of low-strain deformation characteristics of high strength sheet steel on curl and springback in bend-under-tension tests, 84
Cuspidine
Mineralogical phases formed by flux glasses in continuous casting mould, 358
Cutting force
Prediction of cutting force in end-milling operation of modified AISI P20 tool steel, 241

Damping capacity
A novel laminate combined with elasticity and damping, 1
Deformation inhomogeneities
Effect of microstructural inhomogeneities on texture evolution in 90-10 Brass sheets, 440
Degradation
Processing of polycaprolactone porous structure for scaffold development, 117
Densification
Deformation behaviors of porous 4032 Al alloy preform prepared by spray deposition during hot rolling, 174
Die casting
Evaluation of a heat flux sensor for spray cooling for the die casting processes, 312
Die design
Die design for the radial forging process using 3D FEM, 534
Die lubrication
Evaluation of a heat flux sensor for spray cooling for the die casting processes, 312
Differential geometry
Study on the development method of panel parts with free form surface, 632
Differential speed rolling
Effect of temperature of differential speed rolling on room temperature mechanical properties and texture in an AZ31 magnesium alloy, 644
Diffusion
A model for PEG removal from alumina injection moulded parts by solvent debinding, 268

Direct metal laser sintering (DMLS)
Effects of dispersion technique and component ratio on densification and microstructure of multi-component Cu-based metal powder in direct laser sintering, 564
Distortion
A study on the mechanical properties for developing a computer simulation model for heat treatment process, 65
Draw dies
Side-wall thickness in draw die forming, 191
Drawing
A new processing technique for copper–graphite multifilamentary nanocomposite wire: Microstructures and electrical properties, 50
Dual-phase
Influence of low-strain deformation characteristics of high strength sheet steel on curl and springback in bend-under-tension tests, 84
Ductile fracture
Evaluation of Atkins' model of ductile machining including the material separation component, 398
Ductile regime
Novel method to investigate the critical depth of cut of ground silicon wafer, 157
Ductile tearing
Evaluation of Atkins' model of ductile machining including the material separation component, 398
Ductility
Effect of rolling on tensile flow and fracture of Al–4.5Cu–3.4Fe cast composite, 215
Properties of a gray cast iron with oriented graphite flakes, 593
Duplex stainless steels
Weldability of a 2205 duplex stainless steel using plasma arc welding, 624
Dynamic recrystallization
Research of electroplastic rolling of AZ31 Mg alloy strip, 128

ECAE
An upper bound solution of ECAE process with outer curved corner, 555
ECAP
Properties and deformation behaviour of severe plastic deformed aluminium alloys, 207
Elastic modulus
The thermal stability and mechanical behaviors of Zr–Cu–Ni–Ti–Be bulk metallic glasses, 257
Elastic unloading
Analysis of torsional deformation by rigid-plastic finite element method using recurrent boundary conditions, 303
Electric discharge machining (EDM)
Modeling and analysis of the rapidly resolidified layer of SG cast iron in the EDM process through the response surface methodology, 525
Electrolytic plasma oxidation
Optimization of the electrolytic plasma oxidation processes for corrosion protection of magnesium alloy AM50 using the Taguchi method, 58
Electron beam welding
Characterization on electron beam welds and parameters for AZ31B-F extrusive plates, 369
Electroplastic rolling
Research of electroplastic rolling of AZ31 Mg alloy strip, 128
Electroslag casting (ESC)
Fabrication of high-power diesel engine crankshafts by electro-slag casting process, 588
Embedded-atom-method
An engineering-oriented embedded-atom-method potential fitting procedure for pure fcc and bcc metals, 387
End milling
Prediction of cutting force in end-milling operation of modified AISI P20 tool steel, 241

Energy approach
Toward physical description of form and finish performance in dry belt finishing process by a tribo-energetic approach, 498
Energy conversion
A basic approach for strain rate dependent energy conversion including heat transfer effects: An experimental and numerical study, 319
Energy density
Dependence of mechanical properties of polyamide components on build parameters in the SLS process, 477
EPC process
Effect of evaporative pattern casting process parameters on the surface roughness of Al–7% Si alloy castings, 615
Equal channel angular pressing
Influence of cold extrusion on the microstructure and mechanical properties of an aluminium alloy previously subjected to equal channel angular pressing, 363
Experimental design
The use of Taguchi method in the design of plastic injection mould for reducing warpage, 418
Experimental program
Overinjection of thermoplastic composites. I. Processing and testing of components, 12
Explosive welding
A novel laminate combined with elasticity and damping, 1
Extrude-curving
Extrude-curving forming process of magnesium alloy thick plate coated with steel plate, 163
Extrusion
A numerical sensitivity study to determine the main influence parameters on the back-end defect, 73
Failure analysis of stellite dies for brass extrusion: The effect of aging, 608

Fatigue
Failure analysis of stellite dies for brass extrusion: The effect of aging, 608
FEM
Die design for the radial forging process using 3D FEM, 534
FEM analysis
Properties and deformation behaviour of severe plastic deformed aluminium alloys, 207
FGM composites
Finite element design of MgO/Ni system functionally graded materials, 181
Finish rolling temperature
Effect of microstructural inhomogeneities on texture evolution in 90-10 Brass sheets, 440
Finite element
The key technology and realization of virtual ring rolling, 374
Finite element analysis
Overinjection of thermoplastic composites. II. Numerical simulation, 21
Finite element simulations of the clinch joining of metallic sheets, 352
Finite element method
Finite element design of MgO/Ni system functionally graded materials, 181
Numerical simulation of the pressure ram forming process, 411
Optimizing parison thickness for extrusion blow molding by hybrid method, 512
Finite element simulation and model optimization of blankholder gap and shell element type in the stamping of a washing-trough, 637
Finite element modelling
Computer modelling and tooling design for near net shaped components using hot isostatic pressing, 39
Finite elements
Modelling of the post-localization behaviour in tube hydroforming of low carbon steels, 248

Finite Strains
A model for the simulation of powder compaction processes, 286
Flux
Mineralogical phases formed by flux glasses in continuous casting mould, 358
Fluxing
Study of fluxing temperature in molten aluminum refining process, 450
Forming limit diagram
An improved analytical approach for determination of forming limit diagrams considering the effects of yield functions, 598
Fraction solid
The effect of partial decanting on the chemical composition of semi-solid hypo-eutectic Al–Si alloys during solidification, 95
Fretting wear
An investigation of fretting wear behaviors of bonded solid lubricant coatings, 146
Friction
Study of alternative lubricants to the cold extrusion of steel shafts, 432
Friction coefficient
Comparison of friction and wear performances of brake material dry sliding against two aluminum matrix composites reinforced with different SiC particles, 122
An upper bound solution of ECAE process with outer curved corner, 555

Gas pressure
Simulation of EPS foam decomposition in the lost foam casting process, 333
Gas turbine blades
An experimental investigation on dimensional stability of injected wax patterns of gas turbine blades, 580
Genetic algorithms
Optimizing parison thickness for extrusion blow molding by hybrid method, 512
Grain refinement
Effects of extrusion ratio on the microstructure and mechanical properties of AZ31 Mg alloy, 281
Graphite
A new processing technique for copper–graphite multifilamentary nanocomposite wire: Microstructures and electrical properties, 50
An investigation of fretting wear behaviors of bonded solid lubricant coatings, 146
Properties of a gray cast iron with oriented graphite flakes, 593
Gray cast iron
Properties of a gray cast iron with oriented graphite flakes, 593
Grey analysis
Optimizing multiple quality characteristics via Taguchi method-based Grey analysis, 107
Grinding
Novel method to investigate the critical depth of cut of ground silicon wafer, 157

Hardening law
An improved analytical approach for determination of forming limit diagrams considering the effects of yield functions, 598
Hardness
Influence of chromium on microstructure and sintering properties of FeNiMoCu system prealloyed powders, 462
Heat flux measurement
Evaluation of a heat flux sensor for spray cooling for the die casting processes, 312
Heat flux sensor
Evaluation of a heat flux sensor for spray cooling for the die casting processes, 312
Heat transfer
Heat transfer analysis of hot-rolled coils in multi-stack storing, 101
Evaluation of a heat flux sensor for spray cooling for the die casting processes, 312
Heat transfer coefficient
Simulation of EPS foam decomposition in the lost foam casting process, 333
Heat treatment
A study on the mechanical properties for developing a computer simulation model for heat treatment process, 65
Prediction of microstructure evolution of Al–1% Mg alloy during hot forming and sequential heat treatment, 274
Heat treatment of steel
Laser surface treatments of iron-based substrates for automotive application, 427
Heat-affected zone
Characterization on electron beam welds and parameters for AZ31B-F extrusive plates, 369
Hexagonal boron nitride
Effect of hexagonal BN on the microstructure and mechanical properties of Si_3N_4 ceramics, 134
High extrusion ratio
Effects of extrusion ratio on the microstructure and mechanical properties of AZ31 Mg alloy, 281
Horizontal direct chill casting
Effect of low-frequency magnetic field on microstructures and macrosegregation of horizontal direct chill casting 7075 aluminum alloy, 185
Hot forming
Prediction of microstructure evolution of Al–1% Mg alloy during hot forming and sequential heat treatment, 274
Hot isostatic pressing (HIPping)
Computer modelling and tooling design for near net shaped components using hot isostatic pressing, 39
Hot rolling
Deformation behaviors of porous 4032 Al alloy preform prepared by spray deposition during hot rolling, 174
Effect of rolling on tensile flow and fracture of Al–4.5Cu–3.4Fe cast composite, 215
Hot-rolled coil
Heat transfer analysis of hot-rolled coils in multi-stack storing, 101
HSLA steel
A study on the mechanical properties for developing a computer simulation model for heat treatment process, 65
Hydrofoming
Control and use of wrinkles in tube hydroforming, 6

Inclusions
Study of fluxing temperature in molten aluminum refining process, 450
Fabrication of high-power diesel engine crankshafts by electro-slag casting process, 588
Injection molding
An experimental investigation on dimensional stability of injected wax patterns of gas turbine blades, 580
Injection moulding
Overinjection of thermoplastic composites. I. Processing and testing of components, 12
A model for PEG removal from alumina injection moulded parts by solvent debinding, 268
Intelligent system
A short note on an intelligent system for selection of materials for progressive die components, 456
Interface evolution
Evolution of the bond interface during ultrasonic Al–Si wire wedge bonding process, 202
Intermetallic
Effect of rolling on tensile flow and fracture of Al–4.5Cu–3.4Fe cast composite, 215
Internal friction
A novel laminate combined with elasticity and damping, 1
Internal high pressure forming
Control and use of wrinkles in tube hydroforming, 6

Interval number
The optimization of the variable binder force in U-shaped forming with uncertain friction coefficient, 262

Keyhole
Weldability of a 2205 duplex stainless steel using plasma arc welding, 624
Knowledge base
A short note on an intelligent system for selection of materials for progressive die components, 456

410L
Water-based binder system for SOFC porous steel substrates, 469
Laser
Laser surface treatments of iron-based substrates for automotive application, 427
Laser cladding
Microstructural characterization and microscopy analysis of laser cladding Stellite12 and tungsten carbide, 297
Liquid drainage
The effect of partial decanting on the chemical composition of semi-solid hypo-eutectic Al–Si alloys during solidification, 95
Liquid phase sintering
Effects of dispersion technique and component ratio on densification and microstructure of multi-component Cu-based metal powder in direct laser sintering, 564
Lost foam casting
Simulation of EPS foam decomposition in the lost foam casting process, 333
Low frequency electromagnetic field
Effect of low-frequency magnetic field on microstructures and macrosegregation of horizontal direct chill casting 7075 aluminum alloy, 185
LS_DYNA
The key technology and realization of virtual ring rolling, 374
Lubricants
Study of alternative lubricants to the cold extrusion of steel shafts, 432

Machining
Evaluation of Atkins' model of ductile machining including the material separation component, 398
Macrosegregation
Effect of low-frequency magnetic field on microstructures and macrosegregation of horizontal direct chill casting 7075 aluminum alloy, 185
Magnesium alloy
Optimization of the electrolytic plasma oxidation processes for corrosion protection of magnesium alloy AM50 using the Taguchi method, 58
Extrude-curving forming process of magnesium alloy thick plate coated with steel plate, 163
Effect of temperature of differential speed rolling on room temperature mechanical properties and texture in an AZ31 magnesium alloy, 644
Material removal rate
Estimation of material removal with the help of pad deformation in planarization process, 139
Material removal volume
Estimation of material removal with the help of pad deformation in planarization process, 139
Material selection
A short note on an intelligent system for selection of materials for progressive die components, 456
Material separation
Evaluation of Atkins' model of ductile machining including the material separation component, 398
Mechanical alloying
Effect of Al addition on phase purity of $Ti_3Si(Al)C_2$ synthesized by mechanical alloying, 445
Mechanical behavior
A basic approach for strain rate dependent energy conversion including heat transfer effects: An experimental and numerical study, 319
Mechanical properties
A study on the mechanical properties for developing a computer simulation model for heat treatment process, 65
Effect of hexagonal BN on the microstructure and mechanical properties of Si_3N_4 ceramics, 134
Effect of temperature of differential speed rolling on room temperature mechanical properties and texture in an AZ31 magnesium alloy, 644
Mechanical property
Fabrication of high-power diesel engine crankshafts by electro-slag casting process, 588
Mesh-free methods
A model for the simulation of powder compaction processes, 286
Metal
An engineering-oriented embedded-atom-method potential fitting procedure for pure fcc and bcc metals, 387
Metal matrix composites
Influence of TiO_2 particles on recrystallization kinetics of Al–2Mg–TiO_2 composites, 540
Metal quality
Effect of casting conditions on aluminium metal quality, 405
Metal–matrix composites
Effect of rolling on tensile flow and fracture of Al–4.5Cu–3.4Fe cast composite, 215
Microstructural characterization
A study on quantitative formability assessment of rheological materials based on the microstructural characterization with a moderate control of the process, 220
Microstructure
Influence factors of ball milling process on BE powder for reaction sintering of TiB/Ti–4.0Fe–7.3Mo composite, 79
Effect of hexagonal BN on the microstructure and mechanical properties of Si_3N_4 ceramics, 134
Effect of low-frequency magnetic field on microstructures and macrosegregation of horizontal direct chill casting 7075 aluminum alloy, 185
The implication of rheology in semi-solid metal processes: An overview, 229
Prediction of microstructure evolution of Al–1% Mg alloy during hot forming and sequential heat treatment, 274
Role of processing parameters on microstructural evolution of spray formed Al–2Mg alloy and Al–2Mg–TiO_2 composite, 343
Influence of chromium on microstructure and sintering properties of FeNiMoCu system prealloyed powders, 462
Mineralogical phases
Mineralogical phases formed by flux glasses in continuous casting mould, 358
3D model
Die design for the radial forging process using 3D FEM, 534
Moderate control of process
A study on quantitative formability assessment of rheological materials based on the microstructural characterization with a moderate control of the process, 220
Modification
Heat transfer and solidification behaviour of modified A357 alloy, 152
Molecular dynamics
An engineering-oriented embedded-atom-method potential fitting procedure for pure fcc and bcc metals, 387
MoS_2
An investigation of fretting wear behaviors of bonded solid lubricant coatings, 146
MTS
Numerical simulation of the pressure ram forming process, 411
Multi-stack storing
Heat transfer analysis of hot-rolled coils in multi-stack storing, 101

Nanocomposites
A new processing technique for copper–graphite multifilamentary nanocomposite wire: Microstructures and electrical properties, 50
Nanocrystalline powder
Synthesis of PZT nanocrystalline powder by a modified sol–gel process using water as primary solvent source, 382
Nd:YAG laser
Optimizing multiple quality characteristics via Taguchi method-based Grey analysis, 107
Near-net-shape forming
De-stabilization mechanism and *in situ* solidification of alumina slurry dispersed in silica sol, 489
Nepheline
Mineralogical phases formed by flux glasses in continuous casting mould, 358
Neural network
Optimizing parison thickness for extrusion blow molding by hybrid method, 512
Newton–Raphson method
An improved analytical approach for determination of forming limit diagrams considering the effects of yield functions, 598
Numerical analysis
Prediction of microstructure evolution of Al–1% Mg alloy during hot forming and sequential heat treatment, 274
Numerical fitting
An engineering-oriented embedded-atom-method potential fitting procedure for pure fcc and bcc metals, 387
Numerical modelling
Overinjection of thermoplastic composites. I. Processing and testing of components, 12
Numerical simulation
Control and use of wrinkles in tube hydroforming, 6
A numerical sensitivity study to determine the main influence parameters on the back-end defect, 73
NURBS
Study on the development method of panel parts with free form surface, 632

Optimization
Optimizing parison thickness for extrusion blow molding by hybrid method, 512
Optimum parameter
Characterization on electron beam welds and parameters for AZ31B-F extrusive plates, 369
Orthogonal cutting
Prediction of shear angle for continuous orthogonal cutting using thermo-mechanical constants of work material and cutting conditions, 167
Outer curved corner
An upper bound solution of ECAE process with outer curved corner, 555
Overinjection
Overinjection of thermoplastic composites. II. Numerical simulation, 21
Oxidation resistance
The thermal stability and mechanical behaviors of Zr–Cu–Ni–Ti–Be bulk metallic glasses, 257

Pad deformation
Estimation of material removal with the help of pad deformation in planarization process, 139
Part orientation
Dependence of mechanical properties of polyamide components on build parameters in the SLS process, 477
Phosphatization
Study of alternative lubricants to the cold extrusion of steel shafts, 432
Physical metallurgy
Laser surface treatments of iron-based substrates for automotive application, 427
Planarization process
Estimation of material removal with the help of pad deformation in planarization process, 139
Plasma arc welding
Weldability of a 2205 duplex stainless steel using plasma arc welding, 624
Plasma electrolytic oxidation
Investigation of morphology and composition of plasma electrolytic oxidation coatings in systems of Na_2SiO_3–NaOH and $(NaPO_3)_6$–NaOH, 28
Plastic injection mould
The use of Taguchi method in the design of plastic injection mould for reducing warpage, 418
Plastic instabilities
Modelling of the post-localization behaviour in tube hydroforming of low carbon steels, 248
Polishing
Novel method to investigate the critical depth of cut of ground silicon wafer, 157
Polycaprolactone
Processing of polycaprolactone porous structure for scaffold development, 117
Poly(vinyl alcohol)
Processing of polycaprolactone porous structure for scaffold development, 117
Porous metal
Deformation behaviors of porous 4032 Al alloy preform prepared by spray deposition during hot rolling, 174
Water-based binder system for SOFC porous steel substrates, 469
Powder
Influence factors of ball milling process on BE powder for reaction sintering of TiB/Ti–4.0Fe–7.3Mo composite, 79
Powder compaction
A model for the simulation of powder compaction processes, 286
Powder consolidation
Computer modelling and tooling design for near net shaped components using hot isostatic pressing, 39
Powder dispersion
Effects of dispersion technique and component ratio on densification and microstructure of multi-component Cu-based metal powder in direct laser sintering, 564
Prealloyed powders
Influence of chromium on microstructure and sintering properties of FeNiMoCu system prealloyed powders, 462
Pre-scaffold
Processing of polycaprolactone porous structure for scaffold development, 117
Process parameters
Effect of evaporative pattern casting process parameters on the surface roughness of Al–7% Si alloy castings, 615
Progressive die
A short note on an intelligent system for selection of materials for progressive die components, 456
Properties
Effect of starting Si contents on the properties and structure of biomorphic SiC ceramics, 34
Dependence of mechanical properties of polyamide components on build parameters in the SLS process, 477
Protective coatings
Characterization of newly developed structural DMR-1700 steel and comparison with different steels for chemical applications, 195
PTFE
An investigation of fretting wear behaviors of bonded solid lubricant coatings, 146
Pure torsion
Analysis of torsional deformation by rigid-plastic finite element method using recurrent boundary conditions, 303

PZT
Synthesis of PZT nanocrystalline powder by a modified sol–gel process using water as primary solvent source, 382

Quantitative formability assessment
A study on quantitative formability assessment of rheological materials based on the microstructural characterization with a moderate control of the process, 220

Radial forging
Die design for the radial forging process using 3D FEM, 534
Rapid prototyping (RP)
Effects of dispersion technique and component ratio on densification and microstructure of multi-component Cu-based metal powder in direct laser sintering, 564
Rapidly resolidified layer
Modeling and analysis of the rapidly resolidified layer of SG cast iron in the EDM process through the response surface methodology, 525
Recrystallisation texture
Effect of microstructural inhomogeneities on texture evolution in 90-10 Brass sheets, 440
Recrystallization
Prediction of microstructure evolution of Al–1% Mg alloy during hot forming and sequential heat treatment, 274
Influence of TiO_2 particles on recrystallization kinetics of Al–2Mg–TiO_2 composites, 540
Recurrent boundary condition
Analysis of torsional deformation by rigid-plastic finite element method using recurrent boundary conditions, 303
Recycling
Study of fluxing temperature in molten aluminum refining process, 450
Refinement
Ti transition zone on the interface between TiC and aluminum melt and its influence on melt viscosity, 519
Refining
Study of fluxing temperature in molten aluminum refining process, 450
Reinforced thermoplastic
Overinjection of thermoplastic composites. I. Processing and testing of components, 12
Response surface methodology (RSM)
Modeling and analysis of the rapidly resolidified layer of SG cast iron in the EDM process through the response surface methodology, 525
Effect of evaporative pattern casting process parameters on the surface roughness of Al–7% Si alloy castings, 615
Rheology
The implication of rheology in semi-solid metal processes: An overview, 229
Rigid-plastic finite element method
Analysis of torsional deformation by rigid-plastic finite element method using recurrent boundary conditions, 303
Ring rolling
The key technology and realization of virtual ring rolling, 374
Rolling texture
Effect of microstructural inhomogeneities on texture evolution in 90-10 Brass sheets, 440
RSM
Prediction of cutting force in end-milling operation of modified AISI P20 tool steel, 241
Rutile
Role of processing parameters on microstructural evolution of spray formed Al–2Mg alloy and Al–2Mg–TiO_2 composite, 343
Influence of TiO_2 particles on recrystallization kinetics of Al–2Mg–TiO_2 composites, 540

Scaffold
Processing of polycaprolactone porous structure for scaffold development, 117
Secondary remelting
Effect of casting conditions on aluminium metal quality, 405
Segregation
The effect of partial decanting on the chemical composition of semi-solid hypo-eutectic Al–Si alloys during solidification, 95
Selective laser sintering
Dependence of mechanical properties of polyamide components on build parameters in the SLS process, 477
Semi-solid metal
The implication of rheology in semi-solid metal processes: An overview, 229
Semi-solid–metal
The effect of partial decanting on the chemical composition of semi-solid hypo-eutectic Al–Si alloys during solidification, 95
Severe plastic deformation
Influence of cold extrusion on the microstructure and mechanical properties of an aluminium alloy previously subjected to equal channel angular pressing, 363
Shear angle, Thermo-mechanical constants
Prediction of shear angle for continuous orthogonal cutting using thermo-mechanical constants of work material and cutting conditions, 167
Sheet bending
Side-wall thickness in draw die forming, 191
Sheet metal
Side-wall thickness in draw die forming, 191
Sheet metal forming
Finite element simulation and model optimization of blankholder gap and shell element type in the stamping of a washing-trough, 637
Sheets
Finite element simulations of the clinch joining of metallic sheets, 352
Shell element
Finite element simulation and model optimization of blankholder gap and shell element type in the stamping of a washing-trough, 637
Shrinkage
An experimental investigation on dimensional stability of injected wax patterns of gas turbine blades, 580
SiC
Effect of starting Si contents on the properties and structure of biomorphic SiC ceramics, 34
Silica sol
De-stabilization mechanism and *in situ* solidification of alumina slurry dispersed in silica sol, 489
Silicon nitride
Effect of hexagonal BN on the microstructure and mechanical properties of Si_3N_4 ceramics, 134
Silicon wafer
Novel method to investigate the critical depth of cut of ground silicon wafer, 157
Simulation
A basic approach for strain rate dependent energy conversion including heat transfer effects: An experimental and numerical study, 319
Numerical simulation of the pressure ram forming process, 411
Single crystal
An engineering-oriented embedded-atom-method potential fitting procedure for pure fcc and bcc metals, 387
Sintering
Influence of chromium on microstructure and sintering properties of FeNiMoCu system prealloyed powders, 462
SOFC
Water-based binder system for SOFC porous steel substrates, 469
Sol–gel
Synthesis of PZT nanocrystalline powder by a modified sol–gel process using water as primary solvent source, 382
De-stabilization mechanism and *in situ* solidification of alumina slurry dispersed in silica sol, 489
Solid freeform fabrication
Dependence of mechanical properties of polyamide components on build parameters in the SLS process, 477

Solidification
Heat transfer and solidification behaviour of modified A357 alloy, 152
Solvent debinding
A model for PEG removal from alumina injection moulded parts by solvent debinding, 268
SPD
Properties of a gray cast iron with oriented graphite flakes, 593
Spheroidal graphite
Modeling and analysis of the rapidly resolidified layer of SG cast iron in the EDM process through the response surface methodology, 525
Spray cooling
Evaluation of a heat flux sensor for spray cooling for the die casting processes, 312
Spray deposition
Deformation behaviors of porous 4032 Al alloy preform prepared by spray deposition during hot rolling, 174
Spray forming
Role of processing parameters on microstructural evolution of spray formed Al–2Mg alloy and Al–2Mg–TiO_2 composite, 343
Springback
Influence of low-strain deformation characteristics of high strength sheet steel on curl and springback in bend-under-tension tests, 84
The optimization of the variable binder force in U-shaped forming with uncertain friction coefficient, 262
Stainless steel
Water-based binder system for SOFC porous steel substrates, 469
Stamping
Side-wall thickness in draw die forming, 191
Steels
Influence of low-strain deformation characteristics of high strength sheet steel on curl and springback in bend-under-tension tests, 84
Characterization of newly developed structural DMR-1700 steel and comparison with different steels for chemical applications, 195
Study of alternative lubricants to the cold extrusion of steel shafts, 432
Stellite
Failure analysis of stellite dies for brass extrusion: The effect of aging, 608
Stellite12
Microstructural characterization and microscopy analysis of laser cladding Stellite12 and tungsten carbide, 297
Strain
Deformation behaviors of porous 4032 Al alloy preform prepared by spray deposition during hot rolling, 174
Strain hardening rate
Properties and deformation behaviour of severe plastic deformed aluminium alloys, 207
Strain localization
Modelling of the post-localization behaviour in tube hydroforming of low carbon steels, 248
Strain rate
Modelling of the post-localization behaviour in tube hydroforming of low carbon steels, 248
Strain–stress relation
A study on the mechanical properties for developing a computer simulation model for heat treatment process, 65
Stress
Evolution of the bond interface during ultrasonic Al–Si wire wedge bonding process, 202
Stress concentration
Characterization on electron beam welds and parameters for AZ31B-F extrusive plates, 369
Structural applications
Characterization of newly developed structural DMR-1700 steel and comparison with different steels for chemical applications, 195
Structure
Investigation of morphology and composition of plasma electrolytic oxidation coatings in systems of Na_2SiO_3–NaOH and $(NaPO_3)_6$–NaOH, 28
Effect of starting Si contents on the properties and structure of biomorphic SiC ceramics, 34
Subsurface damage
Novel method to investigate the critical depth of cut of ground silicon wafer, 157
Surface finish
Toward physical description of form and finish performance in dry belt finishing process by a tribo-energetic approach, 498
Surface oxide layer
Effect of V addition on activation performances of $TiMn_{1.25}Cr_{0.25}$ hydrogen storage alloy, 549
Surface roughness
Effect of evaporative pattern casting process parameters on the surface roughness of Al–7% Si alloy castings, 615
Synthesis
Synthesis of PZT nanocrystalline powder by a modified sol–gel process using water as primary solvent source, 382

Taguchi methods
Optimization of the electrolytic plasma oxidation processes for corrosion protection of magnesium alloy AM50 using the Taguchi method, 58
Optimizing multiple quality characteristics via Taguchi method-based Grey analysis, 107
The use of Taguchi method in the design of plastic injection mould for reducing warpage, 418
Tensile strength
Properties of a gray cast iron with oriented graphite flakes, 593
Tension stress
Extrude-curving forming process of magnesium alloy thick plate coated with steel plate, 163
Texture
Effects of extrusion ratio on the microstructure and mechanical properties of AZ31 Mg alloy, 281
Effect of temperature of differential speed rolling on room temperature mechanical properties and texture in an AZ31 magnesium alloy, 644
Thermal analysis
Heat transfer and solidification behaviour of modified A357 alloy, 152
Thermal and mechanical processing
Study of the wear behaviour of Al–4.5% Cu–3.4% Fe in situ composite: Effect of thermal and mechanical processing, 327
Thermal stability
The thermal stability and mechanical behaviors of Zr–Cu–Ni–Ti–Be bulk metallic glasses, 257
Thermal stress
Finite element design of MgO/Ni system functionally graded materials, 181
Thermomechanical interface modelling
Overinjection of thermoplastic composites. II. Numerical simulation, 21
Thermomechanical processing
Effect of microstructural inhomogeneities on texture evolution in 90-10 Brass sheets, 440
Thermoplastic
Overinjection of thermoplastic composites. II. Numerical simulation, 21
Thinning
Side-wall thickness in draw die forming, 191
Ti transition zone
Ti transition zone on the interface between TiC and aluminum melt and its influence on melt viscosity, 519
Ti_3SiC_2
Effect of Al addition on phase purity of $Ti_3Si(Al)C_2$ synthesized by mechanical alloying, 445
Ti6/4
Computer modelling and tooling design for near net shaped components using hot isostatic pressing, 39

TiC
Ti transition zone on the interface between TiC and aluminum melt and its influence on melt viscosity, 519
$TiMn_{1.25}Cr_{0.25}$ and $TiMn_{0.95}V_{0.3}Cr_{0.25}$ alloys
Effect of V addition on activation performances of $TiMn_{1.25}Cr_{0.25}$ hydrogen storage alloy, 549
Titanium alloy
Optimizing multiple quality characteristics via Taguchi method-based Grey analysis, 107
Torsion
Analysis of torsional deformation by rigid-plastic finite element method using recurrent boundary conditions, 303
Trim-cuts
On the influence of cutting speed limitation on the accuracy of wire-EDM corner-cutting, 574
TRIP
Influence of low-strain deformation characteristics of high strength sheet steel on curl and springback in bend-under-tension tests, 84
Tube hydroforming
Modelling of the post-localization behaviour in tube hydroforming of low carbon steels, 248
Turbine casing blank
The key technology and realization of virtual ring rolling, 374

Ultrafine grained microstructure
Influence of cold extrusion on the microstructure and mechanical properties of an aluminium alloy previously subjected to equal channel angular pressing, 363
Ultrasonic bonding
Evolution of the bond interface during ultrasonic Al–Si wire wedge bonding process, 202
Ultrasonic power
Evolution of the bond interface during ultrasonic Al–Si wire wedge bonding process, 202
Uncertain optimization
The optimization of the variable binder force in U-shaped forming with uncertain friction coefficient, 262
Upper bound
An upper bound solution of ECAE process with outer curved corner, 555
U-shaped forming
The optimization of the variable binder force in U-shaped forming with uncertain friction coefficient, 262

Variable binder force
The optimization of the variable binder force in U-shaped forming with uncertain friction coefficient, 262
Viscosity
The implication of rheology in semi-solid metal processes: An overview, 229
Ti transition zone on the interface between TiC and aluminum melt and its influence on melt viscosity, 519
VOF-FAVOR
Simulation of EPS foam decomposition in the lost foam casting process, 333

Warpage
The use of Taguchi method in the design of plastic injection mould for reducing warpage, 418
Warping
Analysis of torsional deformation by rigid-plastic finite element method using recurrent boundary conditions, 303
Wax pattern
An experimental investigation on dimensional stability of injected wax patterns of gas turbine blades, 580
WC
Microstructural characterization and microscopy analysis of laser cladding Stellite12 and tungsten carbide, 297
Wear
Comparison of friction and wear performances of brake material dry sliding against two aluminum matrix composites reinforced with different SiC particles, 122
Study of the wear behaviour of Al–4.5% Cu–3.4% Fe in situ composite: Effect of thermal and mechanical processing, 327
Toward physical description of form and finish performance in dry belt finishing process by a tribo-energetic approach, 498
WEDM
On the influence of cutting speed limitation on the accuracy of wire-EDM corner-cutting, 574
Weldability
Weldability of a 2205 duplex stainless steel using plasma arc welding, 624
Welding
Optimizing multiple quality characteristics via Taguchi method-based Grey analysis, 107
Wrinkles
Control and use of wrinkles in tube hydroforming, 6

Yield function
An improved analytical approach for determination of forming limit diagrams considering the effects of yield functions, 598

Zr–Cu–Ni–Ti–Be
The thermal stability and mechanical behaviors of Zr–Cu–Ni–Ti–Be bulk metallic glasses, 257